



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

JUN 11 1998

Mr. Carlton Cadwell
President and CEO
Cadwell Laboratories, Inc.
909 North Kellogg Street
Kennewick, Washington 99336

Re: K971214
Trade Name: Kilowin
Regulatory Class: II
Product Code: GWQ
Dated: February 19, 1998
Received: March 13, 1998

Dear :Mr. Cadwell:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic (QS) inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Mr. Carlton Cadwell

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4648. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,

A handwritten signature in black ink, appearing to read 'C. Witten', is written over the typed name.

Cella M. Witten, Ph.D., M.D.
Director
Division of General and
Restorative Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

510K Supplement 1- Indications for Use

Date: April 16, 1997

510(K) Number: K971214

Device Name: Kilowin

Indications for Use:

Kilowin is an electroneurodiagnostic device designed to measure and display the electrical signals generated by peripheral nerve, muscle and central nervous system. It will acquire the data necessary for electroencephalography (EEG), electronystagmography (ENG), electrocardiography (ECG), electromyography (EMG), nerve conduction velocity (NCV, F wave, and H reflex), evoked potentials (EP, brainstem, visual, somatosensory), repetitive nerve stimulation and sleep assessment.

The Kilowin instrument is designed for use during the duration of the procedure only.

Use of the proposed device is to be administered under the direction of a trained physician, surgeon, neurologist, or electrophysiologist in an operating room or clinic.


The Kilowin device(s) are intended for use during electroencephalography (EEG), electronystagmography (ENG), electromyography (EMG), nerve conduction velocity (NCV, F wave, and H reflex), evoked potentials (brainstem, visual, somatosensory), repetitive nerve stimulation testing and sleep assessment.

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use ☒
(Per 21 CFR 801.109)

OR

Over the Counter Use ☐


(Division Sign-Off)
Division of Cardiovascular, Respiratory,
and Neurological Devices

510(k) Number

K971214